## NSN 5950-00-238-9441

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-238-9441

Reliability Indicator:
Not established
Overall Length:
11.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
7.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
8.000 inches single mounting facility single center group
Overall Height:
8.375 inches
Frequency Rating:
50.0 hertz single component and 400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and core single component
Body Length:
10.000 inches
Body Width:
9.000 inches
Body Height:
7.750 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
6 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
2 primary single component and 3 secondary single component
Thready Qty Per Inch (tpi):
16 single group
Thread Size:
0.375 inches single group
Winding Operating Current:
500.0 milliamperes ac single component 1st secondary
Winding Operating Voltage:
42.00 ac volts single component 3rd secondary42.00 ac volts single component 2nd secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
10 solder stud

## NSN 5950-00-238-9441

Power Transformer - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0