

View Online at <https://aerobasegroup.com/nsn/5950-00-239-7535>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Salt spray resistant

**Overall Length:**

Between 3.990 inches and 4.010 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.990 inches single mounting facility single center group and 3.010 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.490 inches single mounting facility single center group and 1.510 inches single mounting facility single center group

**Overall Height:**

2.469 inches

**Overall Width:**

Between 1.990 inches and 2.010 inches

**Inductance Rating:**

0.20 millihenries single component single winding

**Frequency Rating:**

380.0 hertz 2nd component and 420.0 hertz 2nd component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Primary and secondary shielded and brought out to terminal all components

**Maximum Operating Temp:**

95.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

6 single group

**Mounting Method:**

Threaded hole single group

**Rating Method:**

Electrical single component single winding

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

940.0 milliamperes ac single component single secondary

**Dc Resistance Rating In Ohms:**

0.025 single component single winding

**Winding Operating Voltage:**

26.00 ac volts single component single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

9 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0