NSN 5950-00-240-2554

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-240-2554

Reliability Indicator:

Not establishednot establishednot established

Overall Height:

0.800 inches 0.800 inches 0.800 inches 0.800 inches

Frequency Rating:

400.0 hertz single component400.0 hertz single component400.0 hertz single component

Input-output Phase Relationship:

Three phase to two phase single componentthree phase to two phase single componentthree phase to two phase single component phase to two phase single component

Transformer Winding Connection Type:

Taylortaylortaylor

Body Length:

1.200 inches 1.200 inches 1.200 inches

Body Width:

0.700 inches 0.700 inches 0.700 inches 0.700 inches

Maximum Operating Temp:

125.0 degrees celsius125.0 degrees celsius125.0 degrees celsius125.0 degrees celsius

Distance Between Mounting Facility Centers:

0.5469 inches single mounting facility single center group 0.5469 inches single mounting facility s

Inclosure Type:

Fully enclosedfully enclosedfully enclosed

Mounting Facility Quantity:

2 single group2 single group2 single group2 single group

Mounting Method:

Threaded hole single groupthreaded hole single groupthreaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component secondary single component secondary single component secondary single component

Thread Size:

0.073 inches single group

Winding Operating Current:

100.0 microamperes ac single component single secondary

Winding Operating Voltage:

6.80 ac volts single component single secondary14.00 ac volts single component single primary

Special Features:

Secondary winding center tap tied together

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

NSN 5950-00-240-2554

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0