## NSN 5950-00-241-3154

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-241-3154

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 5.813 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 4.781 inches single mounting facility single center group                 |
| Mounting Hole Diameter:   |
| 0.188 inches single group   |
| Inductance Type:  |
| Fixed   |
| Inductance Rating:  |
| 10.40 millihenries single component single winding                        |
| Body Length:  |
| 7.000 inches  |
| Body Width:   |
| 6.031 inches  |
| Body Height:  |
| 6.500 inches  |
| Winding Quantity:   |
| 1 single component  |
| Inclosure Type:   |
| Open  |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Flange single group and unthreaded hole single group                      |
| Rating Method:  |
| Electrical single component single winding                                |
| Winding Operating Current:  |
| 50.0 amperes dc single component single winding                           |
| Dc Resistance Rating In Ohms:   |
| 1.000 single component single winding                                     |
| Terminal Type And Quantity:   |
| 1 bus (bar) conductor and 1 wire lead                                     |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiia:   |

A058b0