## NSN 5950-00-244-1567

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-244-1567

**Overall Length:** 

16.680 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

15.250 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

3.469 inches single mounting facility single center group and 3.531 inches single mounting facility single center group

**Overall Height:** 

9.500 inches

**Overall Width:** 

11.000 inches

**Mounting Hole Diameter:** 

0.307 inches single group and 0.317 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

**Transformer Winding Connection Type:** 

Open delta-wye

**Winding Shielding Method:** 

Internal shield grounded to inclosure and core single component

**Body Length:** 

14.060 inches

**Body Width:** 

9.000 inches

**Body Height:** 

9.500 inches

**Inclosure Type:** 

Hermetically sealed

Mounting Facility Quantity:

6 single group

**Mounting Method:** 

Flange single group and unthreaded hole single group

Winding Function And Quantity:

3 primary single component and 1 secondary single component

**Winding Operating Current:** 

570.0 milliamperes ac single component single secondary

**Winding Operating Voltage:** 

3.10 ac kilovolts single component single secondary and 3.30 ac kilovolts single component single secondary and 3.50 ac kilovolts single component single secondary and 3.70 ac kilovolts single component single secondary and 3.90 ac kilovolts single component single secondary

**Special Features:** 

Taps provided no primary windings to vary output voltages

**Terminal Type And Quantity:** 

3 standoff insulator and 18 standoff, solder lug

## NSN 5950-00-244-1567

Power Transformer - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0