

View Online at <https://aerobasegroup.com/nsn/5950-00-244-7511>

Reliability Indicator:

Not established

Overall Length:

4.125 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.380 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.380 inches single mounting facility single center group

Overall Height:

2.875 inches

Overall Width:

3.125 inches

Inductance Rating:

0.10 henry single component single winding

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Winding Shielding Method:

Internal shield grounded to core single component

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Rating Method:

Electrical single component single winding

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

0.8 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.020 single component single winding

Winding Operating Voltage:

115.00 ac volts single component single winding and 22.00 dc volts single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

12 solderless lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0