NSN 5950-00-246-5250

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-246-5250

Reliability Indicator:

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.406 inches single mounting facility single center group3.406 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.250 inches single mounting facility single center group3.250 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component or 50.0 hertz single component or 60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

3.906 inches 3.906 inches

Body Width:

5.375 inches 5.375 inches

Body Height:

3.594 inches 3.594 inches

Inclosure Type:

Openopen

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded stud single groupthreaded stud single group

Winding Function And Quantity:

2 primary single component and 2 primary single component and 3 secondary single component3 secondary single component

Thready Qty Per Inch (tpi):

32 single group32 single group

Thread Size:

0.190 inches single group0.190 inches single group

Winding Operating Current:

5.0 amperes ac single component 2nd secondary

Winding Operating Voltage:

2.50 ac volts single component all secondary110.00 ac volts single component all primary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

13 feed thru

Shelf Life:

N/a

Unit Of Measure:

_

Demilitarization:

No

NSN 5950-00-246-5250

Power Transformer - Page 2 of 2



Fiig:

A058b0