

View Online at <https://aerobasegroup.com/nsn/5950-00-250-7597>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.750 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.000 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

5.875 inches

**Body Width:**

4.594 inches

**Body Height:**

4.500 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.250 inches single group

**Winding Operating Current:**

35.0 milliamperes dc single component single secondary and 250.0 milliamperes dc single component single secondary

**Winding Operating Voltage:**

115.00 ac volts single component single primary 395.00 ac volts single component single secondary and 1.04 ac kilovolts single component single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 standoff, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0