## NSN 5950-00-250-8200

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-250-8200

## Reliability Indicator:

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.875 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.438 inches single mounting facility single center group

#### **Mounting Slot Width:**

0.200 inches single group

#### **Frequency Rating:**

47.0 hertz single component and 420.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to core single component

#### **Body Length:**

4.310 inches

#### **Body Width:**

4.125 inches

#### **Body Height:**

3.500 inches

## Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Flange single group and slot single group

## **Winding Function And Quantity:**

2 primary single component and 1 secondary single component

#### **Winding Operating Current:**

7.0 amperes ac single component single secondary

## **Criticality Code Justification:**

Feat

#### **Winding Operating Voltage:**

25.00 ac volts single component single secondary

#### **Special Features:**

Weapon system essential

## **Terminal Type And Quantity:**

8 tab, solder lug

## Shelf Life:

N/a

## **Unit Of Measure:**

--

# NSN 5950-00-250-8200

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0