# NSN 5950-00-251-1716

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-251-1716

# **Reliability Indicator:**

Not established

## **Overall Length:**

7.312 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

6.250 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

5.750 inches single mounting facility single center group

#### **Overall Height:**

6.812 inches

**Overall Width:** 

6.750 inches

**Frequency Rating:** 

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

### Winding Shielding Method:

Internal shield grounded to inclosure single component

#### Body Length:

7.312 inches

#### **Body Width:**

6.750 inches

### Body Height:

6.250 inches

### Inclosure Type:

Hermetically sealed

### **Mounting Facility Quantity:**

4 single group

### Mounting Method:

Threaded stud single group

### Winding Function And Quantity:

1 primary single component and 3 secondary single component

#### Thready Qty Per Inch (tpi):

16 single group

#### **Thread Size:**

0.375 inches single group

### Winding Operating Current:

75.0 milliamperes ac single component 3rd secondary

### Winding Operating Voltage:

790.00 ac volts single component 2nd secondary640.00 ac volts single component 1st secondary

## **Thread Series Designator:**

Unc single group

# NSN 5950-00-251-1716

Power Transformer - Page 2 of 2



# Terminal Type And Quantity:

11 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0