

View Online at <https://aerobasegroup.com/nsn/5950-00-251-3608>

**Reliability Indicator:**

Not establishednot established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.625 inches single mounting facility single center group2.625 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.625 inches single mounting facility single center group2.625 inches single mounting facility single center group

**Mounting Slot Width:**

0.313 inches single group0.313 inches single group

**Frequency Rating:**

60.0 hertz single component60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single componentsingle phase to single phase single component

**Body Length:**

6.500 inches 6.500 inches

**Body Width:**

4.750 inches 4.750 inches

**Body Height:**

4.750 inches 4.750 inches

**End Application:**

Eg, multiple applicationseg, multiple applications

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Flange single group and slot single group

**Winding Operating Current:**

3.5 amperes ac single component single primary output

**Winding Power Rating:**

980.0 volts-amperes single component single primary output

**Winding Operating Voltage:**

120.00 ac volts single component single primary input

**Special Features:**

Variable autotransformer, used w/ many different e/gs to adust electrical components

**Terminal Type And Quantity:**

1 connector, receptacle and 1 cable w/connector

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0