

View Online at <https://aerobasegroup.com/nsn/5950-00-251-4306>

Reliability Indicator:

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.875 inches single mounting facility single center group6.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.000 inches single mounting facility single center group4.000 inches single mounting facility single center group

Mounting Hole Diameter:

0.281 inches single group0.281 inches single group

Frequency Rating:

60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Body Length:

7.625 inches 7.625 inches

Body Width:

5.656 inches 5.656 inches

Body Height:

6.750 inches 6.750 inches

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Flange single group and flange single group and unthreaded hole single groupunthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component

Winding Operating Current:

354.0 milliamperes ac single component single secondary

Winding Operating Voltage:

69.00 ac volts single component single secondary and 1.90 ac kilovolts single component single secondary and 2.00 ac kilovolts single component single secondary

Terminal Type And Quantity:

9 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0