# NSN 5950-00-252-1111

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-252-1111

# Reliability Indicator:

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.172 inches single mounting facility single center group and 1.204 inches single mounting facility single center group

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.172 inches single mounting facility single center group and 1.204 inches single mounting facility single center group

# Frequency Rating:

400.0 hertz single component

# Input-output Phase Relationship:

Single phase to single phase single component

# Winding Shielding Method:

Internal shield grounded to inclosure single component

### Body Length:

1.625 inches

#### **Body Width:**

1.625 inches

# Body Height:

2.375 inches

# Maximum Operating Temp:

130.0 degrees celsius

#### Inclosure Type:

Hermetically sealed

#### Mounting Facility Quantity:

4 single group

#### Mounting Method:

Threaded stud single group

#### Winding Function And Quantity:

1 primary single component and 3 secondary single component

#### Thread Size:

0.138 inches single group

#### Winding Operating Current:

217.4 milliamperes ac single component single primary

#### Winding Power Rating:

25.0 volts-amperes single component single primary

#### Winding Operating Voltage:

20.70 ac volts single component 3rd secondary20.70 ac volts single component 2nd secondary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

8 wire hook

#### Shelf Life:

N/a

# NSN 5950-00-252-1111

Power Transformer - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

