

View Online at <https://aerobasegroup.com/nsn/5950-00-254-3142>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.187 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.875 inches single mounting facility single center group

Mounting Hole Diameter:

0.096 inches single group

Transformer Function:

Line

Impedance Rating In Ohms:

2400.0 single component single primary

Frequency Rating:

100.0 hertz single component and 10.0 kilohertz single component

Body Length:

1.560 inches

Body Width:

1.275 inches

Body Height:

1.250 inches

End Application:

Kidd class ddg, oliver perry class ffg, austin ship class lpd-4 amphibious transport docks, nimitz class cvn, emory s. Land class as, whidbey island class lsd, forrestal class cv, supply class aoe

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Criticality Code Justification:

Feat

Special Features:

Weapon system essential

Terminal Type And Quantity:

7 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0