NSN 5950-00-254-3372

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-254-3372 **Reliability Indicator:** Not established Center To Center Distance Between Mounting Facilities Parallel To Length: 2.062 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 7.500 inches single mounting facility single center group **Overall Height:** 4.875 inches **Overall Width:** 3.500 inches Frequency Rating: 60.0 hertz single component Input-output Phase Relationship: Single phase to single phase single component **Winding Shielding Method:** Internal shield grounded to inclosure single component **Body Length:** 8.812 inches **Inclosure Type:** Hermetically sealed with oil **Mounting Facility Quantity:** 4 single group **Mounting Method:** Threaded stud single group **Winding Function And Quantity:** 1 primary single component and 3 secondary single component Thready Qty Per Inch (tpi): 20 single group **Thread Size:** 0.250 inches single group **Winding Operating Current:** 6.0 amperes ac single component 3rd secondary Winding Operating Voltage: 5.00 ac volts single component all secondary115.00 ac volts single component single primary **Thread Series Designator:** Unc single group **Terminal Type And Quantity:** 6 standoff, threaded stud and 2 standoff, solder lug Shelf Life: N/a

--

Unit Of Measure:

NSN 5950-00-254-3372

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0