NSN 5950-00-254-6735

Electrical Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-254-6735

Reliability Indicator:
Not established
Turn Quantity:
2500 single component single winding
Mounting Hole Diameter:
0.625 inches single group
Body Length:
1.750 inches
Body Outside Diameter:
0.625 inches
Overall Diameter:
2.250 inches
Winding Quantity:
1 single component
Inclosure Type:
Open
Mounting Facility Quantity:
1 single group
Mounting Method:
Bracket single group and unthreaded hole single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Winding Conductor Size:
0.01790 inches american wire gage single component single winding
Winding Operating Current:
270.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
Dc Resistance Rating In Ohms: 30.000 single component single winding
30.000 single component single winding
30.000 single component single winding Winding Operating Voltage:
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity:
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life:
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure:
30.000 single component single winding Winding Operating Voltage: 8.00 dc pounds per hour wet single component single winding Terminal Type And Quantity: 2 wire lead Shelf Life: N/a Unit Of Measure: Demilitarization: