Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-255-3734

| Reliability Indicator:   |
|--|
| Not established  |
| Center To Center Distance Between Mounting Facilities Parallel To Length |
| 1.250 inches single mounting facility single center group                |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.250 inches single mounting facility single center group                |
| Inductance Rating:   |
| 210.00 microhenries single component all primary                         |
| Frequency Rating:  |
| 30.0 kilohertz single component  |
| Coil Form Type:  |
| Hollow single component  |
| Adjustment Device Drive Type:  |
| Shaft single component   |
| Body Length:   |
| 1.750 inches   |
| Body Width:  |
| 1.750 inches   |
| Body Height:   |
| 1.500 inches   |
| Inclosure Type:  |
| Fully enclosed   |
| Mounting Facility Quantity:  |
| 4 single group   |
| Mounting Method:   |
| Threaded hole single group   |
| Rating Method:   |
| Electrical single component all primary                                  |
| Winding Function And Quantity:   |
| 2 primary single component   |
| Thready Qty Per Inch (tpi):  |
| 32 single group  |
| Thread Size:   |
| 0.138 inches single group  |
| Adjustment Method And Quantity:  |
| 1 adjustable core single component                                       |
| Thread Series Designator:  |
| Unc single group   |
| Terminal Type And Quantity:  |
| 4 solder stud  |
| Shelf Life:  |
| N/a  |
|  |

Radio Frequency Transformer - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A058b0