# NSN 5950-00-256-8688

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-256-8688

## **Reliability Indicator:**

Not establishednot established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

3.182 inches single mounting facility single center group3.182 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

3.125 inches single mounting facility single center group3.125 inches single mounting facility single center group

## **Overall Height:**

5.688 inches 5.688 inches

#### Frequency Rating:

50.0 hertz single component or 50.0 hertz single component or 60.0 hertz single component60.0 hertz single component

## Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

#### Body Length:

4.125 inches 4.125 inches

Body Width:

4.875 inches 4.875 inches

#### **Body Height:**

5.000 inches 5.000 inches

Inclosure Type:

Hermetically sealedhermetically sealed

# Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded hole single groupthreaded hole single group

# Winding Function And Quantity:

1 primary single component and 1 primary single component and 3 secondary single component3 secondary single component

#### Thready Qty Per Inch (tpi):

20 single group20 single group

# Thread Size:

0.250 inches single group0.250 inches single group

# Winding Operating Current:

3.0 amperes ac single component 2nd secondary

# Winding Operating Voltage:

610.00 ac volts single component 1st secondary230.00 ac volts single component single primary5.00 ac volts single component 2nd secondary

# Thread Series Designator:

Unc single group

# Terminal Type And Quantity:

10 standoff insulator

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5950-00-256-8688

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

