## NSN 5950-00-257-3784

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-257-3784

| View Online at https://aerobasegroup.com/nsn/5950-00-257-3784     |
|---|
| Reliability Indicator:  |
| Not established   |
| Turn Quantity:  |
| 1495 single component single primary                              |
| Inductance Rating:  |
| 26.11 millihenries single component single primary                |
| Coil Form Type:   |
| Hollow single component   |
| Adjustment Device Drive Type:                                     |
| Hex nut single component  |
| Body Length:  |
| 2.062 inches  |
| Body Outside Diameter:  |
| 1.250 inches  |
| Distance Between Mounting Facility Centers:                       |
| 0.875 inches single mounting facility single center group         |
| Inclosure Type:   |
| Fully enclosed  |
| Mounting Facility Quantity:                                       |
| 2 single group  |
| Mounting Method:  |
| Threaded stud single group  |
| Rating Method:  |
| Electrical single component single primary                        |
| Winding Function And Quantity:                                    |
| 1 primary single component  |
| Thready Qty Per Inch (tpi):                                       |
| 32 single group   |
| Thread Size:  |
| 0.138 inches single group   |
| Winding Conductor Size:   |
| 0.00397 inches american wire gage single component single primary |
| Adjustment Method And Quantity:                                   |
| 1 adjustable core single component                                |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:                                       |
| 3 tab, solder lug   |
| Shelf Life:   |
| N/a   |

--

**Unit Of Measure:** 

## NSN 5950-00-257-3784

Radio Frequency Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0