

View Online at <https://aerobasegroup.com/nsn/5950-00-263-1022>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.312 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.062 inches single mounting facility single center group

Transformer Function:

Output

Impedance Rating In Ohms:

0.195 single component single secondary and 0.780 single component single secondary and 12.500 single component single secondary and 50.000 single component single secondary and 200.000 single component single secondary

Frequency Rating:

300.0 hertz single component and 4.0 kilohertz single component

Maximum Transformer Power Rating:

800.0 milliwatts single component

Primary To Secondary Turn Ratio:

4.48 to 1 single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

2.094 inches

Body Width:

1.781 inches

Body Height:

3.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Special Features:

Case metal material

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0