Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-265-0191

Interest of the set	Reliability Indicator:
Turn Quantity: 520 single component single primary Inductance Rating: 190.00 microhenries single component single primary and 2.27 millihenries single component single primary Frequency Rating: 200.0 kilchertz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: 2.062 inches Body Height: 0.453 inches Body Height: 0.453 inches Body Height: 1.0105ure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: 2.050 inches ingle primary and winding turns single component single primary Minding Function And Quantity: 1 single component single primary and winding turns single component single primary Minding Function And Quantity: 1 single group Minding Conductor Size: 0.250 inches single group Minding Conductor Size: 0.250 inches single group Minding Conductor Size: 0.250 inches single group Minding Conductor Size: 0.03037 inches american wire gage single component single primary Adjustnent Method And Quantity: 1 adjustable core single component 1 reard Sires Designator: Unt single group Minding Group Component 1 reard Sires Designator: 1 adjustable core single component 1 reard Sires Designator: 1 adjustable core single component 1 reard Sires Designator: 2 adjustable core single component 3 tab, solider Ing 3 tab, solider Ing	-
20 single component single primary Inductance Rating: 190.00 microhenries single component single primary and 2.27 millihenries single component single primary and 2.27 millihenries single component single primary and 2.27 millihenries single component single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Sotted screw single component Body Height: 2.062 Inches Body Height: 0.453 Inches Body Height: 0.453 Inches Body Height: 0.453 Inches Body Height: 0.453 Inches Hounting Facility Quantity: 1 single group Mounting Facility Quantity: 1 single group and threaded stud single group. Rating Method: Core single group and threaded stud single group. Minding Guenton And Quantity: 1 primary single component Holge group Minding Guenton And Quantity: 2 single group Minding Guenductor Size: 0.200 inches single group onent Monting Facility And Quantity: 1 adjustable core single component Minding	
Inductance Rating: 190.00 microhenries single component single primary and 2.27 millihenries single component single primary Frequency Rating: 200.01 kilohentz single component Coll Form Type: Hollow single component Adjustment Device Drive Type: Stotted screw single component Body Length: 2.062 lincles Body With: 0.453 incles Body Height: 0.453 incles Body Height: 0.453 incles Body Uly enclosed Mounting Facility Quantity: 1 single group Mounting Facility Quantity: 1 single group Mounting Function And Quantity: 1 single group Michage Scale component single primary and winding turns single component single primary Winding Guoton And Quantity: 1 primary single component Threads Y Per Inch (tp): 28 single group Winding Conductor Size: 0.00397 Inches american wire gage single component single primary Mydindic Core single component Adjustment Method And Quantity: 1 adjustable core single component <t< th=""><th>-</th></t<>	-
190.00 microhenies single component single primary and 2.27 millihenries single component single primary and 2.27 millihenries single component single primary and 2.27 millihenries single component single component 200 kilohertz single component Adjustment Device Drive Type: Slotted screw single component Body Length: 2.062 inches Body Witht: 0.453 inches Body Height: 0.453 inches Body Height: 0.453 inches Body Height: 0.453 inches Body Height: 1.453 inches Body Height: 0.453 inches Body Height: 0.454 inch (tpi): 2.45 inches single component single primary and winding turns single component single primary Winding Function And Quantity: 1.950 inches single group Bread Size: 0.250 inches single group Bread Size: 0.250 inches single group Bread Size: 0.250 inches single group ontert single primary Mounting Heinch And Quantity: 1.950 inches single component Bread Size: 0.03037 inches american wire gage single component single pri	
Frequency Rating: 200.0 kilohertz single component 200.0 kilohertz single component Adjustment Device Drive Type: Slotted screw single component Body Length: 2.062 inches Body Width: 0.453 inches Body Width: 0.453 inches Body Height: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Facility Quantity: 1 single group Mounting Facility Quantity: 2 single group and threaded stud single group Rating Method: Core single group and threaded stud single group Rating Method: 2 single group Single group Minding Function And Quantity: 1 1 primary single component Single group Minding Function And Quantity: 2 2 single group Thread Size: 0.250 inches single group Single group Minding Conductor Size: 0.00397 inches american wire gage single component single primary Mutatable core single component Single group Minding Group Single group Minding Conductor Size: 1 0.00397 inches american wire ga	-
200. kikherz single component Coil Form Type: Hollow single component Adjustment Device Drive Type: Stotte Screw single component Body Length: 2.062 inches Body Widh: 2.062 inches Body Widh: 2.063 inches Body Height: 2.064 inches Body Height: 2.064 inches Body Height: 2.065 inches Body Height: 2.075 inches Bidle group Body Bod	
Coll Form Type: Hollow single component Adjustment Device Drive Type: Steted screw single component Body Length: 2.062 inches Body Width: 0.453 inches Body Height: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: 1 primary single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single group Thready Qty Per Inch (tpi): 2 83 ingle group Direct Size: 0.250 inches single group Moling Conductor Size: 0.250 inches american wire gage single component single primary Miding Conductor Size: 0.250 inches american wire gage single component single primary Multige component Indige group Hored Size: 0.10337 inches american wire gage single component single primary Multige Libe core single component Indige group<	
Hollow single component Adjustment Device Drive Type: Slotted screw single component Body Length: 2.082 inches Body Width: 0.453 inches Body Height: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Vinding Function And Quantity: 1 primary single component 1 primary single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thread Size: 0.250 inches single group Minding Conductor Size: 0.250 inches single group Minding Conductor Size: 0.250 inches single group Adjustment Method And Quantity: 1 adjustable core single component Indig Group Chread Size: 0.250 inches single group Minding Conductor Size: 1 adjustable core single component Ingle group	
Adjustment Device Drive Type: Slotted screw single component Body Length: 2.062 inches Body Width: 0.453 inches Body Height: 0.453 inches Body Slotted Screw Single Component Problem Screw Single Screw	
Slotted screw single component Body Length: 2.062 inches Body Width: 0.453 inches Body Height: 0.453 inches Body Slotted Screw Body Height: 0.453 inches Body Height: 0.453 inches Body Slotted Screw Holdsoure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Core single group and threaded stud single group Rating Method: 1 primary single component single primary and winding turns single component single primary Minding Function And Quantity: 1 primary single component Thread Stree 0.20307 inches single group Minding Conductor Size 0.30397 inches american wire gage single component single primary Adjustent Method And Quantity: 1 adjustable core single component Thread Series Designator: 1 adjustable core single component Thread Series Designator: 1 adjusta	
Body Length: 2.062 inches Body Width: 0.453 inches Body Height: 0.453 inches Body Height: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Mulation And Quantity: 1 adjustable core single component Inches Single group Minding Conductor Size: 1 adjustable core single component In group Hared Series Designator: Unf single group Thread Series Designator: Unf single group Thread Series Designator: Unf single group	
Jone Jone Body Width: 0.453 inches Body Heighi: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting facility Quantity: 1 single group and threaded stud single group Rating Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thread Size: 0.250 inches single group Minding Conductor Size: 0.00397 inches american wire gage single component single primary Minding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Thread Series Designator: Unf single group Thread Series Designator: Unf single group Thread Series Designator: Unf single gr	
Body Width: 0.453 inches Body Height: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Midigatable core single component Thread Size: 0.10397 inches american wire gage single component single primary Minding Conductor Size: 0.10397 inches american wire gage single component single primary Minding Conductor Size: 1 adjustable core single component Thread Sire Designator: Unt single group Thread Sire Designator: Unt single group	
o.4.3Body Height:0.453 inchesBody Height:0.453 inchesInclosure Type:Fully enclosedMounting Facility Quantity:1 single groupMounting Getoilty Quantity:Core single group and threaded stud single groupRating Method:Electrical single component single primary and winding turns single component single primaryWinding Function And Quantity:1 primary single componentThready Qty Per Inch (tpi):28 single groupThread Size:0.250 inches single groupWinding Conductor Size:0.0397 inches american wire gage single component single primaryAdjustable core single component1 adjustable core single componentThread Size:0.0397 inches american wire gage single component single primaryMing Conductor Size:1 adjustable core single componentSingle groupChread Stries Designator:Unf single groupChread Stries Designator:Unf single groupThread Stries Designator:Stab, solder lugSheff Life:	
Body Height: 0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Minding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.250 inches single group Minding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustable core single component 1 retad Size in gle group Minding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustable core single component Thread Series Designator: Ur single group Thread Series Designator: Un single group Thread Series Designator: Stab, solder lug Stab, solder lug	-
0.453 inches Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unding Surge	
Inclosure Type: Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary I primary single component I primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.0250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustament Method And Quantity: 1 adjustable core single component Thread Series Designator: Und in group Thread Series Designator: 1 adjustable core single component Single group Thread Series Designator: Uf single group Thread Series Designator: 1 adjustable core single component Single group Thread Series Designator: Uf single group Thread Series Designator: Single group Stab, solder lug	
Fully enclosed Mounting Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.0397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Size: 0.0397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Sheff Life:	
Nontring Facility Quantity: 1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustable core single component 1 adjustable core single component Unf single group Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
1 single group Mounting Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	-
Mouning Method: Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Sheff Life:	
Core single group and threaded stud single group Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Enrinal Type And Quantity: 3 tab, solder lug	
Rating Method: Electrical single component single primary and winding turns single component single primary Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
Electrical single component single primary and winding turns single component single primary Vinding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Vinding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
Winding Function And Quantity: 1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Single group Thread Series Designator: Unf single group 3 tab, solder lug Shelf Life:	-
1 primary single component Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
Thready Qty Per Inch (tpi): 28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
28 single group Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
Thread Size: 0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
0.250 inches single group Winding Conductor Size: 0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
0.00397 inches american wire gage single component single primary Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	
Adjustment Method And Quantity: 1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	Winding Conductor Size:
1 adjustable core single component Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	0.00397 inches american wire gage single component single primary
Thread Series Designator: Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	Adjustment Method And Quantity:
Unf single group Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	1 adjustable core single component
Terminal Type And Quantity: 3 tab, solder lug Shelf Life:	Thread Series Designator:
3 tab, solder lug Shelf Life:	Unf single group
Shelf Life:	Terminal Type And Quantity:
	3 tab, solder lug
N/a	Shelf Life:
	N/a

Radio Frequency Transformer - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0