

View Online at <https://aerobasegroup.com/nsn/5950-00-266-8939>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.000 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.062 inches single mounting facility single center group

**Frequency Rating:**

380.0 hertz single component and 1.6 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

4.625 inches

**Body Width:**

3.625 inches

**Body Height:**

3.000 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.164 inches single group

**Winding Operating Voltage:**

1.30 ac kilovolts single component 1st secondary 95.00 ac volts single component 2nd secondary and 280.00 ac volts single component 2nd secondary and 510.00 ac volts single component 2nd secondary and 890.00 ac volts single component 2nd secondary and 1.10 ac kilovolts single component 2nd secondary and 1.30 ac kilovolts single component 2nd secondary and 1.40 ac kilovolts single component 2nd secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

14 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0