

View Online at <https://aerobasegroup.com/nsn/5950-00-275-2841>

**Reliability Indicator:**

Not established

**Overall Length:**

Between 1.650 inches and 1.680 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.230 inches single mounting facility single center group and 1.260 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.110 inches single mounting facility single center group and 1.140 inches single mounting facility single center group

**Overall Width:**

Between 1.530 inches and 1.560 inches

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

**Body Height:**

Between 2.180 inches and 2.250 inches

**Maximum Operating Temp:**

170.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Features Provided:**

Tinned wire leads

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

200.0 milliamperes ac single component single primary

**Winding Operating Voltage:**

115.00 ac volts single component single primary

**Special Features:**

1 primary winding; 5 secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

15 wire hook

**Specification Data:**

64547-805586 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0