

View Online at <https://aerobasegroup.com/nsn/5950-00-275-2841>

Reliability Indicator:

Not established

Overall Length:

Between 1.650 inches and 1.680 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.230 inches single mounting facility single center group and 1.260 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.110 inches single mounting facility single center group and 1.140 inches single mounting facility single center group

Overall Width:

Between 1.530 inches and 1.560 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Height:

Between 2.180 inches and 2.250 inches

Maximum Operating Temp:

170.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Features Provided:

Tinned wire leads

Thread Size:

0.138 inches single group

Winding Operating Current:

200.0 milliamperes ac single component single primary

Winding Operating Voltage:

115.00 ac volts single component single primary

Special Features:

1 primary winding; 5 secondary windings

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

15 wire hook

Specification Data:

64547-805586 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0