

View Online at <https://aerobasegroup.com/nsn/5950-00-276-5191>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches all mounting facilities all center groupings

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.375 inches all mounting facilities all center groupings

Overall Height:

2.040 inches

Overall Width:

1.880 inches

Frequency Rating:

380.0 hertz single component and 400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.480 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 all groupings

Mounting Method:

Threaded stud all groupings

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Features Provided:

Color coded lead

Thread Size:

0.138 inches all groupings

Winding Operating Voltage:

62.00 ac volts single component 1st secondary33.40 ac volts single component 3rd secondary15.00 ac volts single component 2nd secondary

Thread Series Designator:

Unc all groupings

Terminal Type And Quantity:

15 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0