

View Online at <https://aerobasegroup.com/nsn/5950-00-276-5484>

Reliability Indicator:

Not establishednot established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility single center group2.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group2.000 inches single mounting facility single center group

Overall Height:

3.640 inches 3.640 inches

Frequency Rating:

400.0 hertz single component400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single componentthree phase to three phase single component

Transformer Winding Connection Type:

Delta-deltadelta-delta

Body Length:

2.500 inches 2.500 inches

Body Width:

1.625 inches 1.625 inches

Body Height:

3.250 inches 3.250 inches

Maximum Operating Temp:

85.0 degrees celsius85.0 degrees celsius

Inclosure Type:

Hermetically sealedhermetically sealed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Threaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 4 secondary single component4 secondary single component

Thready Qty Per Inch (tpi):

32 single group32 single group

Thread Size:

0.138 inches single group0.138 inches single group

Winding Operating Current:

300.0 milliamperes dc single component 3rd secondary

Winding Operating Voltage:

20.00 ac volts single component 3rd secondary115.00 ac volts single component single primary29.80 ac volts single component 4th secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

16 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0