NSN 5950-00-289-9809

Audio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-289-9809

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.500 inches single mounting facility single center group

Transformer Function:

Line

Impedance Rating In Ohms:

600.0 single component 1st secondary

Frequency Rating:

200.0 hertz single component and 8.0 kilohertz single component

Maximum Transformer Power Rating:

261.0 milliwatts single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

Between 1.813 inches and 1.938 inches

Body Width:

Between 1.813 inches and 1.938 inches

Body Height:

Between 2.562 inches and 2.750 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Operating Current:

100.0 milliamperes dc single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

NSN 5950-00-289-9809

Audio Frequency Transformer - Page 2 of 2



| ш | ın | 10 | <i>(</i>)+ | Measure: | |
|---|----|----|-------------|----------|--|
| | | | | | |

--

Demilitarization:

No

Fiig:

A058b0