# NSN 5950-00-295-7559

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-295-7559

## **Reliability Indicator:**

Not established

### Center To Center Distance Between Mounting Facilities Parallel To Length:

5.250 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

4.125 inches single mounting facility single center group

#### **Overall Height:**

8.844 inches

#### **Frequency Rating:**

50.0 hertz single component or 60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure single component

#### **Body Length:**

### 6.375 inches

Body Width:

5.062 inches

#### Body Height:

7.250 inches

## Maximum Operating Temp:

105.0 degrees celsius

### Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

#### Winding Function And Quantity:

1 primary single component and 2 secondary single component

#### Thready Qty Per Inch (tpi):

20 single group

#### **Thread Size:**

0.250 inches single group

#### Winding Operating Current:

245.0 milliamperes dc single component 1st secondary

### Winding Operating Voltage:

550.00 ac volts single component 2nd secondary2.24 ac kilovolts single component 1st secondary

#### **Thread Series Designator:**

Unc single group

### **Terminal Type And Quantity:**

7 standoff insulator

# NSN 5950-00-295-7559

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

