NSN 5950-00-296-1337

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-296-1337

Reliability Indicator:
Not established
Turn Quantity:
2099.5 single component single winding
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.750 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.625 inches single mounting facility single center group
Overall Height:
5.312 inches
Inductance Type:
Fixed
Inductance Rating:
5.00 henry single component single winding
Frequency Rating:
120.0 hertz single component
Body Length:
2.406 inches
Body Width:
2.281 inches
Body Height:
4.750 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Conductor Size:
0.01126 inches american wire gage single component single winding
Winding Operating Current:
150.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

80.000 single component single winding

NSN 5950-00-296-1337

Reactor - Page 2 of 2



Thread	Series	Design	ator:

Unc single group

Terminal Type And Quantity:

2 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A058b0