

View Online at <https://aerobasegroup.com/nsn/5950-00-300-3711>

Reliability Indicator:

Not establishednot established

Overall Length:

3.312 inches 3.312 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility single center group2.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group2.500 inches single mounting facility single center group

Overall Height:

2.562 inches 2.562 inches

Overall Width:

3.000 inches 3.000 inches

Mounting Slot Width:

0.203 inches single group0.203 inches single group

Frequency Rating:

50.0 hertz single component or 50.0 hertz single component or 60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single component

Maximum Transformer Power Rating:

25.0 volt-ampere single component25.0 volt-ampere single component

Inclosure Type:

Fully enclosedfully enclosed

Mounting Facility Quantity:

4 single group4 single group

Mounting Method:

Slot single groupslot single group

Winding Function And Quantity:

2 primary single component and 2 primary single component and 1 secondary single component1 secondary single component

Winding Operating Current:

208.3 milliamperes ac single component single secondary

Winding Operating Voltage:

220.00 ac volts single component all primary and 220.00 ac volts single component all primary and 240.00 ac volts single component all primary240.00 ac volts single component all primary

Special Features:

Adapter for type fb fuseholder availableadapter for type fb fuseholder available

Terminal Type And Quantity:

6 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0