

View Online at <https://aerobasegroup.com/nsn/5950-00-306-3424>

Reliability Indicator:

Not establishednot establishednot established

Frequency Rating:

60.0 hertz single component60.0 hertz single component60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single componentsingle phase to single phase single componentsingle phase to single phase single component

Body Length:

1.250 inches 1.250 inches 1.250 inches

Body Width:

1.060 inches 1.060 inches 1.060 inches

Body Height:

1.000 inches 1.000 inches 1.000 inches

Maximum Operating Temp:

100.0 degrees celsius100.0 degrees celsius100.0 degrees celsius

Distance Between Mounting Facility Centers:

0.969 inches single mounting facility single center group0.969 inches single mounting facility single center group0.969 inches single mounting facility single center group

Inclosure Type:

Fully enclosedfully enclosedfully enclosed

Mounting Facility Quantity:

2 single group2 single group2 single group

Mounting Method:

Threaded hole single groupthreaded hole single groupthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 primary single component and 1 primary single component and 1 secondary single component1 secondary single component1 secondary single component

Thread Size:

0.112 inches single group0.112 inches single group

Winding Operating Current:

883.3 microamperes ac single component single secondary

Winding Operating Voltage:

60.00 ac volts single component single secondary5.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0