NSN 5950-00-314-3146

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-314-3146

| Overall Length: |
|---|
| 7.000 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.062 inches single mounting facility single center group and 6.125 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 4.125 inches single mounting facility single center group |
| Overall Height: |
| 5.000 inches |
| Overall Width: |
| 5.000 inches |
| Frequency Rating: |
| 200.0 hertz single component and 10.0 kilohertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 6 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.190 inches single group |
| Winding Operating Current: |
| 50.0 milliamperes ac single component single primary |
| Winding Operating Voltage: |
| 28.00 ac volts single component single primary |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 1 connector, plug and 1 connector, receptacle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

A058b0