NSN 5950-00-321-1638

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-321-1638

| Center | To Center | Distance | Between | Mounting | Facilities | Parallel 1 | To | Lenath: |
|--------|-----------|----------|---------|----------|-------------------|------------|----|---------|
| | | | | | | | | |

3.235 inches single mounting facility single center group and 3.265 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.385 inches single mounting facility single center group and 1.415 inches single mounting facility single center group

| Mounting | Hole | Diameter: |
|----------|------|-----------|
|----------|------|-----------|

0.193 inches single group and 0.199 inches single group

| 2 | • |
|------------------|---|
| Inductance Type: | |

Fixed

Inductance Rating:

15.00 microhenries single component single winding

Body Length:

3.750 inches

Body Width:

2.100 inches

Body Height:

1.300 inches

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Operating Current:

80.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.003 single component single winding

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

_

Demilitarization:

No

Fiig:

A058b0