NSN 5950-00-324-2969

Pulse Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-324-2969

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.688 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.688 inches single mounting facility single center group

Inductance Rating:

360.00 microhenries single component single secondary

Impedance Rating In Ohms:

44.5 single component single primary

Primary To Secondary Turn Ratio:

1 to 3 single component

Pulse Repetition Rate:

304.0 hertz single component

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

1.310 inches

Body Width:

1.060 inches

Body Height:

2.000 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

1.4 amperes dc single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 turret

Shelf Life:

N/a

NSN 5950-00-324-2969

Pulse Transformer - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0