

View Online at <https://aerobasegroup.com/nsn/5950-00-326-1814>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.109 inches all mounting facilities single center group and 2.141 inches all mounting facilities single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.734 inches all mounting facilities single center group and 1.766 inches all mounting facilities single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

**Body Length:**

2.750 inches

**Body Width:**

2.375 inches

**Body Height:**

3.812 inches

**Maximum Operating Temp:**

155.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 all groupings

**Mounting Method:**

Threaded hole all groupings

**Winding Function And Quantity:**

1 primary single component and 4 secondary single component

**Thread Size:**

0.138 inches all groupings

**Winding Operating Current:**

700.0 milliamperes ac single component 4th secondary

**Winding Operating Voltage:**

25.40 ac volts single component 1st secondary 30.90 ac volts single component 3rd secondary 125.00 ac volts single component 2nd secondary

**Test Data Document:**

10001-2928145 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc all groupings

**Terminal Type And Quantity:**

16 wire hook

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0