NSN 5950-00-326-9607

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-326-9607

5.563 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.000 inches single mounting facility single center group

Overall Height:

Between 3.813 inches and 3.938 inches

Overall Width:

3.938 inches

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-delta

Body Length:

5.563 inches

Body Width:

3.938 inches

Body Height:

3.375 inches

End Application:

Tarawa class lha, spruance class dd (963)

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

3 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.190 inches single group

Winding Operating Voltage:

25.20 ac pounds per hour dry single component single secondary and 30.80 ac pounds per hour with retaining chain single component single secondary

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

9 solder stud

NSN 5950-00-326-9607

Power Transformer - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0