# NSN 5950-00-326-9607

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-326-9607

**5.563** inches

# **Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.500 inches single mounting facility single center group

# **Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.000 inches single mounting facility single center group

#### **Overall Height:**

Between 3.813 inches and 3.938 inches

#### **Overall Width:**

3.938 inches

#### Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### **Transformer Winding Connection Type:**

Wye-delta

#### **Body Length:**

5.563 inches

# **Body Width:**

3.938 inches

# **Body Height:**

3.375 inches

#### **End Application:**

Tarawa class lha, spruance class dd (963)

# **Inclosure Type:**

Hermetically sealed

# **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded stud single group

# Winding Function And Quantity:

3 primary single component and 1 secondary single component

# Thready Qty Per Inch (tpi):

32 single group

# Thread Size:

0.190 inches single group

# **Winding Operating Voltage:**

25.20 ac pounds per hour dry single component single secondary and 30.80 ac pounds per hour with retaining chain single component single secondary

#### **Thread Series Designator:**

Unf single group

# **Terminal Type And Quantity:**

9 solder stud

# NSN 5950-00-326-9607

Power Transformer - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0