

View Online at <https://aerobasegroup.com/nsn/5950-00-329-5073>

**Reliability Indicator:**

Not established

**Overall Length:**

1.938 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.375 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.250 inches single mounting facility single center group

**Overall Width:**

1.813 inches

**Frequency Rating:**

380.0 hertz single component and 1.0 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core single component

**Body Height:**

2.750 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

200.0 milliamperes ac single component all secondary

**Winding Power Rating:**

23.0 volts-amperes single component all secondary

**Winding Operating Voltage:**

115.00 ac volts single component all secondary 105.00 ac volts single component single primary and 105.00 ac volts single component single primary and 115.00 ac volts single component single primary and 115.00 ac volts single component single primary and 125.00 ac volts single component single primary 125.00 ac volts single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

9 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0