## NSN 5950-00-337-6284

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-337-6284

Reliability	Indicator:
-------------	------------

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.115 inches single mounting facility single center group and 1.135 inches single mounting facility single center group

### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.740 inches single mounting facility single center group and 0.760 inches single mounting facility single center group

## Frequency Rating:

400.0 hertz single component

### Input-output Phase Relationship:

Three phase to three phase single component

### **Transformer Winding Connection Type:**

Wye-delta

**Body Length:** 

1.700 inches

**Body Width:** 

1.120 inches

**Body Height:** 

1.550 inches

## **Inclosure Type:**

Fully enclosed

## **Mounting Facility Quantity:**

4 single group

### **Mounting Method:**

Threaded stud single group

## **Winding Function And Quantity:**

1 primary single component and 1 secondary single component

## Thread Size:

0.112 inches single group

#### **Winding Operating Current:**

2.83 amperes ac single component single secondary

## **Criticality Code Justification:**

Feat

## **Winding Operating Voltage:**

17.75 ac volts single component single secondary115.00 ac volts single component single primary

### **Special Features:**

Item is used the eagle f-15 aircraft

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

7 turret

## Shelf Life:

N/a

# **NSN 5950-00-337-6284**Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

Demilitarization:

No

Fiig:

A058b0