

View Online at <https://aerobasegroup.com/nsn/5950-00-345-7472>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

5.040 inches single mounting facility single center group and 5.080 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.860 inches single mounting facility single center group and 1.900 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single component

**Body Length:**

6.000 inches

**Body Width:**

2.730 inches

**Body Height:**

3.000 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thread Size:**

0.190 inches single group

**Winding Operating Current:**

3.0 amperes ac single component 1st secondary

**Winding Power Rating:**

6.52 volts-amperes single component 2nd secondary 99.0 volts-amperes single component single primary 6.52 volts-amperes single component 2nd secondary

**Winding Operating Voltage:**

6.30 ac volts single component 2nd secondary 6.30 ac volts single component 2nd secondary 115.00 ac volts single component single primary and 120.00 ac volts single component single primary and 125.00 ac volts single component single primary

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

9 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0