

View Online at <https://aerobasegroup.com/nsn/5950-00-348-2790>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.312 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches single mounting facility single center group

Mounting Hole Diameter:

0.141 inches single group

Impedance Rating In Ohms:

20000.0 single component all secondary

Frequency Rating:

50.0 hertz single component and 20.0 kilohertz single component

Maximum Transformer Power Rating:

6.0 milliwatts single component

Primary To Secondary Turn Ratio:

1 to 2-3/10 single component

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Length:

1.625 inches

Body Width:

1.625 inches

Body Height:

2.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

8.0 milliamperes dc single component single primary

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0