

View Online at <https://aerobasegroup.com/nsn/5950-00-368-0478>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.297 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.859 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

**Body Length:**

Between 2.873 inches and 3.000 inches

**Body Width:**

Between 2.500 inches and 2.624 inches

**Body Height:**

Between 4.126 inches and 4.250 inches

**Inclosure Type:**

Hermetically sealed with oil

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

600.0 milliamperes ac single component 3rd secondary

**Winding Operating Voltage:**

50.00 ac volts single component 3rd secondary 162.00 ac volts single component 2nd secondary

**Special Features:**

1primary winding; five secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

15 standoff insulator

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0