NSN 5950-00-368-7182

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-368-7182
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.375 inches single mounting facility single center group
Mounting Slot Width:
0.188 inches single group
Inductance Type:
Fixed
Inductance Rating:
30.00 millihenries single component single winding
Frequency Rating:
94.0 hertz single component and 126.0 hertz single component
Body Length:
3.250 inches
Body Width:
3.000 inches
Body Height:
2.750 inches
Winding Quantity:
1 single component
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and slot single group
Rating Method:
Electrical single component single winding
Winding Operating Current:
3.5 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.400 single component single winding
Test Data Document:
82199-1101798 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a

--

Unit Of Measure:

NSN 5950-00-368-7182

Reactor - Page 2 of 2



em			

No

Fiig:

A058b0