

View Online at <https://aerobasegroup.com/nsn/5950-00-393-8184>

Reliability Indicator:

Not established

Overall Length:

3.300 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

Overall Height:

2.260 inches

Overall Width:

2.325 inches

Mounting Hole Diameter:

0.126 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye and wye-delta

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 8 secondary single component

Winding Operating Current:

700.0 milliamperes ac single component 4th secondary

Winding Operating Voltage:

46.00 ac pounds per hour wet single component 2nd secondary

Terminal Type And Quantity:

28 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0