

View Online at <https://aerobasegroup.com/nsn/5950-00-394-1546>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.500 inches single mounting facility single center group

Mounting Slot Width:

0.313 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

5.000 inches

Body Width:

5.000 inches

Body Height:

4.750 inches

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and slot single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

345.0 milliamperes ac single component single secondary

Winding Power Rating:

500.0 volts-amperes single component single secondary

Winding Operating Voltage:

240.00 ac volts single component single primary

Special Features:

T101, ti 6850.12, fa 9425, malsr, sec 1-9, pg 9-2

Terminal Type And Quantity:

2 wire lead and 5 terminal block w/screws

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0