

View Online at <https://aerobasegroup.com/nsn/5950-00-396-6473>

**Reliability Indicator:**

Not established

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

30.0 volt-ampere single component

**Body Length:**

Between 1.484 inches and 1.515 inches

**Body Outside Diameter:**

Between 1.359 inches and 1.390 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Distance Between Mounting Facility Centers:**

0.922 inches single mounting facility single center group and 0.953 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Cooling Method:**

Self-cooled

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

4.7 amperes ac single component single secondary

**Winding Operating Voltage:**

6.30 ac volts single component single secondary 115.00 ac volts single component single primary

**Test Data Document:**

56232-1603348 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

4 eyelet

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0