

View Online at <https://aerobasegroup.com/nsn/5950-00-403-5357>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.190 inches single mounting facility single center group and 2.310 inches single mounting facility single center group

Mounting Slot Width:

0.200 inches single group

Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 3.650 inches and 3.880 inches

Body Width:

3.000 inches

Body Height:

Between 3.120 inches and 3.250 inches

Maximum Operating Temp:

75.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Flange single group and slot single group

Winding Function And Quantity:

2 primary single component and 2 secondary single component

Winding Operating Current:

3.0 amperes ac single component 1st secondary

Winding Operating Voltage:

23.00 ac volts single component 1st primary and 115.00 ac volts single component 2nd primary 115.00 ac volts single component 1st primary

Terminal Type And Quantity:

10 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0