

View Online at <https://aerobasegroup.com/nsn/5950-00-403-9712>

**Reliability Indicator:**

Not establishednot established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.375 inches single mounting facility single center group3.375 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.187 inches single mounting facility single center group3.187 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component and 60.0 hertz single component and 400.0 hertz single component400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single componentsingle phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to inclosure single componentinternal shield grounded to inclosure single component

**Body Length:**

5.000 inches 5.000 inches

**Body Width:**

4.312 inches 4.312 inches

**Body Height:**

3.687 inches 3.687 inches

**Inclosure Type:**

Hermetically sealedhermetically sealed

**Mounting Facility Quantity:**

4 single group4 single group

**Mounting Method:**

Threaded hole single groupthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 primary single component and 4 secondary single component4 secondary single component

**Thready Qty Per Inch (tpi):**

32 single group32 single group

**Thread Size:**

0.190 inches single group0.190 inches single group

**Winding Operating Voltage:**

2.00 ac volts single component 1st secondary and 3.60 ac volts single component 1st secondary and 3.80 ac volts single component 1st secondary

**Special Features:**

Terminal no. 5 used in lieu of 1 for 400 hertz

**Test Data Document:**

37674-42498 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

15 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0