## NSN 5950-00-405-5092

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-405-5092

Center To Center Distance Between Mounting Facilities Parallel To Length:
7.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
6.250 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
1.00 henry single component single winding
Frequency Rating:
360.0 hertz single component
Body Length:
11.200 inches
Body Width:
9.000 inches
Body Height:
8.120 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.375 inches single group
Winding Operating Current:
3.5 amperes dc single component single winding
Dc Resistance Rating In Ohms:
5.000 single component single winding
Test Data Document:
08440-510-7004 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unef single group

N/a Unit

**Unit Of Measure:** 

Shelf Life:

2 standoff, solder lug

**Terminal Type And Quantity:** 

## NSN 5950-00-405-5092

Reactor - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0