## NSN 5950-00-405-5092

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-405-5092

## Center To Center Distance Between Mounting Facilities Parallel To Length:

7.000 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

6.250 inches single mounting facility single center group

## Inductance Type:

Fixed

## Inductance Rating:

1.00 henry single component single winding

#### **Frequency Rating:**

360.0 hertz single component

#### Body Length:

11.200 inches

#### **Body Width:**

9.000 inches

## Body Height:

8.120 inches

## Winding Quantity:

1 single component

## Inclosure Type:

Hermetically sealed

## **Mounting Facility Quantity:**

4 single group

#### Mounting Method:

Threaded stud single group

## Thready Qty Per Inch (tpi):

32 single group

#### Thread Size:

0.375 inches single group

## Winding Operating Current:

3.5 amperes dc single component single winding

#### **Dc Resistance Rating In Ohms:**

5.000 single component single winding

#### **Test Data Document:**

08440-510-7004 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Thread Series Designator:

Unef single group

#### **Terminal Type And Quantity:**

2 standoff, solder lug

#### Shelf Life:

N/a

## Unit Of Measure:

# NSN 5950-00-405-5092

Reactor - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

